

# ENVIRONMENTAL UTILITIES **2025** WATER QUALITY REPORT



## About this report

We're pleased to present you with this annual report on city-provided drinking water. As in past years, water quality results have met state and federal standards. The safety and protection of our water system continue to be a top priority as we regularly implement vulnerability assessments and security measures.

Under the guidelines provided by the U.S. Environmental Protection Agency (EPA) and the State Water Resources Control Board, Division of Drinking Water, the City of Roseville monitors and tests the drinking water from the source to tap. Information provided in this report is for the water provided January through December 2025, and includes details about where your water comes from, what it contains, and how it compares to the standards set by the regulatory agencies.

We hope that this report will provide the answers to any questions you may have about the drinking water supplied by the City of Roseville. You can obtain additional information by contacting the Environmental Utilities at (916) 774-5750 or visiting [roseville.ca.gov/eu](https://www.roseville.ca.gov/eu).



Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

[roseville.ca.gov/eu](https://www.roseville.ca.gov/eu)



## Water sources

Drinking water (tap water and bottled water) sources include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from animals' presence or from human activity. Roseville used both groundwater and surface water supplies in 2025.

We maintain a water distribution system that contains pipelines throughout the city ranging in size from four inches to over five feet in diameter. Staff collects water samples throughout the system and tests on a weekly basis to ensure quality is maintained during delivery to customers.

### Surface water—Roseville

The surface water source from Folsom Lake is snowmelt water that flows from the Sierra Nevada Mountains. The melting snow flows into the North, Middle, and South Forks of the American River and is ultimately stored in Folsom Lake.

The Folsom Lake water is conveyed to, and treated at, Roseville's 100 million gallon per day (MGD) water treatment plant. The treatment process comprises coagulation, sedimentation, filtration and disinfection. Fluoride is added for residents' dental health and pH is adjusted to reduce corrosion.

### Surface water—PCWA

As part of a regional water use agreement, the City of Roseville receives up to 10 MGD of treated surface water from Placer County Water Agency's (PCWA) Foothill-Sunset water treatment plant. Water from PCWA originates in the Sierra snowpack from the Yuba-Bear and American River watersheds.

The source water travels through a network of canal systems operated and maintained by PCWA and PG&E before reaching the water treatment plant. The Foothill-Sunset water treatment plant uses coagulation, high rate settling via micro sand flocculation, filtration and disinfection. Water is fluoridated at the entry point to Roseville. The CCR for this water can be found on PCWA's website: [pcwa.net/services/waterquality](https://pcwa.net/services/waterquality).



## Roseville groundwater sources

Roseville's groundwater supply is essential for maintaining water reliability during dry years when surface water is limited. The City operates six aquifer storage and recovery (ASR) wells and one conventional production well, providing a dependable backup to its primary surface water supply.

ASR wells allow the City to inject excess treated surface water into deep aquifers during wet years for later use during dry periods. This groundwater meets all water quality and health standards, though it may have minor aesthetic differences compared to treated surface water.

Groundwater is a vital resource statewide, supplying two-thirds of Californians and up to 60% of the State's water during dry years. In 2025, Roseville delivered 95.0 million gallons of groundwater as part of its ongoing well maintenance program.



## Water source protection

A community's drinking water supply is valuable and needs protection. The quality and reliability of source water can have a significant impact on a community's economy and quality of life. The city actively participates in several source water protection programs.

### American River Watershed Sanitary Survey

This is an ongoing project in partnership with the San Juan Water District, El Dorado Irrigation District, Placer County Water Agency, City of Sacramento, Carmichael Water District and County of Sacramento, keeping us up-to-date on developments in the American River watershed. The 2023 American River Watershed Sanitary Survey assessed the potential water quality contamination activities in the watershed. They evaluated treatment processes and source water protection programs to remove these contaminants from our drinking water.

The American River Watershed is considered most vulnerable to the following activities associated with contaminants detected in the water supply: Folsom Lake State Recreation Area facilities (marina, restrooms, recreational areas, parking lots and storm drains) and residential sewer and septic systems.

The American River Watershed is also considered vulnerable to the following activities not associated with any detected contaminants: illegal activities and dumping, fertilizer, pesticide and herbicide application, and high-density housing developments.

### Keep the Waters Clean Campaign

This source water protection program protects water quality by encouraging boaters and other recreational users of the Sacramento River to use pump outs and public restrooms rather than the river to dispose of wastes. This program is in partnership with the City of Sacramento, County of Sacramento and the East Bay Municipal Utility District.

### Drinking water source assessment program

The city also has completed source water assessments on the groundwater wells to determine if there were any potentially contaminating activities present. There have been no contaminants detected in the water supply for the groundwater wells; however, all wells are still considered vulnerable to activities located near the water source. The wells are considered most vulnerable to the following activities not associated with any detected contaminants: sewer collection systems and chemical/petroleum processing/storage.

## Public participation

The Environmental Utilities Department routinely reports at the City of Roseville Public Utilities Commission meetings held on the fourth Tuesday of each month at 6 p.m. in the City of Roseville Council Chambers. The public is welcome to attend.

## Terms and abbreviations used in this report

**MC–Maximum Contaminant Level:** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste and appearance of drinking water.

**MCLG–Maximum Contaminant Level Goal:** The level of a contaminant in drinking water below which there is no known, or expected, risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

**PHG–Public Health Goal:** The level of a contaminant in drinking water below which there is no known, or expected, risk to health. PHGs are set by the California Environmental Protection Agency.

**MRDL–Maximum Residual Disinfectant Level:** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant is necessary for control of microbial contaminants.

**MRDLG–Maximum Residual Disinfectant Level Goal:** The level of a drinking water disinfectant below which there is no known, or expected, risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**NTU–Nephelometric Turbidity Units:** a measurement of the clarity of water.

**ppb:** parts per billion. A measurement of the concentration of a substance in the water. One penny in \$10,000,000 would be 1 ppb.

**ppm:** parts per million. A measurement of the concentration of a substance in the water. One penny in \$10,000 would be 1 ppm.

**Primary Drinking Water Standard:** MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements and water treatment requirements.

**Secondary Drinking Water Standards:** Limits for substances that may affect consumer acceptance of water, but are not otherwise harmful. Secondary MCLs are set to address the taste, odor, and appearance of drinking water.

**TT–Treatment Technique:** A required process intended to reduce the level of a contaminant in drinking water.

**µS/cm–microsiemen (µS) per centimeter:** A measurement of water's ability to conduct electrical current.

## Things you should know about drinking water

- Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at (800) 426-4791.
- Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as individuals with cancer, undergoing chemotherapy, individuals who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.
- The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.



If you would like to have more information on items related to water quality issues visit the EPA website at [water.epa.gov/drink](https://www.water.epa.gov/drink) or the California Department of Drinking Water website at [waterboards.ca.gov/drinking\\_water/programs](https://www.waterboards.ca.gov/drinking_water/programs).




## Statement on lead

Lead can cause serious health effects in people of all ages, especially pregnant people, infants (both formula-fed and breastfed), and young children. Lead in drinking water is primarily from materials and parts used in service lines and in home plumbing.

The City of Roseville is responsible for providing high quality drinking water and removing lead pipes but cannot control the variety of materials used in the plumbing in your home. Because lead levels may vary over time, lead exposure is possible even when your tap sampling results do not detect lead at one point in time. You can help protect yourself and your family by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Using a filter, certified by an American National Standards Institute accredited certifier to reduce lead, is effective in reducing lead exposures. Follow the instructions provided with the filter to ensure the filter is used properly. Use only cold water for drinking, cooking, and making baby formula.

Boiling water does not remove lead from water. Before using tap water for drinking, cooking, or making baby formula, flush your pipes for several minutes. You can do this by running your tap, taking a shower, doing laundry or a load of dishes. If you have a lead service line or galvanized requiring replacement service line, you may need to flush your pipes for a longer period. If you are concerned about lead in your water and wish to have your water tested, contact Environmental Utilities water utility at (916) 774-5300 or visit [roseville.ca.gov/lead](https://www.roseville.ca.gov/lead). Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at [epa.gov/safewater/lead](https://www.epa.gov/safewater/lead).



## Protecting our water with backflow prevention

To keep our drinking water safe, Roseville maintains an active cross-connection control and backflow prevention program.

A cross-connection is any point where drinking water could accidentally come into contact with contaminating substances, such as bio-hazards or chemicals. Without proper safeguards, substances used at building premises can be drawn back into the public water system.

Our team inspects, tests, and monitors backflow preventers at these connections to protect public health and the quality of our water.

## Contaminants that may be present in source water include

- Microbial contaminants, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides that may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, agricultural application and septic systems.
- Radioactive contaminants can be naturally occurring or be the result of oil and gas production and mining activities.
- In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (USEPA) and the California Department of Drinking Water prescribe regulations that limit the amount of certain contaminants in water provided by public water systems.
- The City of Roseville is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at (800) 426-4791, or by visiting [epa.gov/safewater/lead](https://www.epa.gov/safewater/lead).



To help Roseville sustain its water supply, we are encouraging customers to adopt and continue water use efficiency practices and limit the amount of water used for any given purpose.

Please take advantage of the valuable tips, rebate information, and educational material the city offers and join in our effort to reduce our use by following these simple steps:



### Reduce your outdoor irrigation

Outdoor irrigation can account for up to 60% of your total water use.



### Check for leaks

Drips and breaks can waste hundreds of gallons of water each day. For more information, check out the "how-to videos" at [roseville.ca.gov/savewater](https://www.roseville.ca.gov/savewater).



### Schedule a Water Wise House Call

Let our experts analyze your water use and provide you with water-saving tips and devices free of charge. Schedule your appointment or call today at: [roseville.ca.gov/housecall](https://www.roseville.ca.gov/housecall) or (916) 774-5761.



### Commercial customers

Schedule a water-use review. We'll perform a thorough assessment of indoor and outdoor use to identify inefficiencies and make recommendations for improvement. Call (916) 774-5761 to schedule your appointment today.



### Report water waste at [roseville.ca.gov/waterwaste](https://www.roseville.ca.gov/waterwaste)

Your eyes and ears are essential to help the city identify potential problem areas and educate our residents about unnecessary water waste.

# Water quality analysis results for 2025\*

This table represents analytes detected at or above the reporting limit.  
For all sampled analyte data please visit Drinking Water Watch at [sdwis.waterboards.ca.gov/PDWW](https://sdwis.waterboards.ca.gov/PDWW)

Substance	MCL <sup>1</sup>	PHG [MCLG] <sup>2</sup>	Folsom Lake average	Folsom Lake range	Folsom Lake year of sampling	Groundwater average	Groundwater range	Groundwater year of sampling	Violation	Typical source
<b>Water source monitoring</b>										
<b>Results of monitoring for secondary drinking water standards</b>										
Turbidity (NTU)	"TT = 1.0 NTU TT = 95% of samples <0.3 NTU"		0.02 100% <0.3	0.01 - 0.22	2025	0.21	ND - 0.42	2023/2025	NO	Runoff/leaching from natural deposits
Fluoride - natural (ppm) <sup>3</sup>	2.0 ppm	1	ND	ND	2025	0.5	0.25 - 0.65	2023/2025	NO	Erosion of natural deposits; discharge from fertilizer and aluminum factories
Total Organic Carbon (ppm)		none	0.99	0.82-1.30	2025			N/A	NO	Runoff/leaching from natural deposits
Nitrate as NO3 (mg/L)	10 mg/L	10	ND	ND	2025	0.82	0.067 - 1.4	2025	NO	Runoff/leaching from natural deposits; leaching from fertilizer, septic tanks, and sewage
Chromium (hexavalent)	10 CCR units	0.02	0.13	0.13	2025	3.56	1.2 - 4.8	2025	NO	Erosion of natural deposits; transformation of naturally occurring trivalent chromium to hexavalent chromium by natural processes and human activities such as discharges from electroplating factories, leather tanneries, wood preservation, chemical synthesis, refractory production, and textile manufacturing facilities.
<b>Results of monitoring for secondary drinking water standards</b>										
Chloride (ppm)	500 ppm	none	3.1	3.1	2025	33	8 - 110	2023/2025	NO	Runoff/leaching from natural deposits; seawater influence
Total Dissolved Solids (ppm)	1000 ppm	none	59	59	2025	170	76 - 350	2023/2025	NO	Runoff/leaching from natural deposits
Specific conductance (uS/cm)	1600 uS/cm	none	76	76	2025	234	110 - 490	2023-2025	NO	Substances that form ions within water
Alkalinity (ppm)	none	none	25	25	2025	49.9	30 - 130	2023/2025	NO	Runoff/leaching from natural deposits
Calcium (ppm)	none	none	7.7	7.7	2025	24.1	9 - 71.0	2023/2025	NO	Runoff/leaching from natural deposits
Magnesium (ppm)	none	none	1.6	1.6	2025	8.2	2.1 - 24	2025	NO	Runoff/leaching from natural deposits
Sodium (ppm)	none	none	3.7	3.7	2025	16	4.5 - 43	2023/2025	NO	Runoff/leaching from natural deposits
pH (pH units)	none	none	8.28	7.3 - 10.0	2025	7.37	6.7 - 7.8	2023/2025	NO	Runoff/leaching from natural deposits
Total Hardness (ppm)	none	none	26	26	2025	95	31 - 280	2025	NO	Runoff/leaching from natural deposits
Sulfate as SO4	500 mg/L	none	6.1	6.1	2025	11	5.9 - 20	2023/2025	NO	Runoff/leaching from natural deposits
Odor --- Threshold	3 TON	none	8.9	8.0 - 10	2025	0.8	ND - 2.8	2023/2025	Yes	Runoff/leaching from natural deposits
<b>Additional monitoring</b>										
Aggressive Index		none	10.3	10.3	2025	10.6	9.94 - 11.1	2023/2025	NO	Runoff/leaching from natural deposits
Langelier Index		none	-1.6	-1.6	2025	-1.41	-2 - -0.88	2023/2025	NO	Runoff/leaching from natural deposits
Combined Radium	5 pCi/L	0	0.699	0.699	2025	0.33	ND - 0.866	2025	NO	

Substance	MCL	PHG [MCLG]	Distance average	Distance range	Year of sampling	Violation	Typical source
<b>Distribution system monitoring</b>							
Total Trihalomethane (ppm)	80		35	23 - 60	2025	NO	Byproduct of drinking water chlorination
Haloacetic Acids (ppm)	60		25	16 - 35	2025	NO	Byproduct of drinking water chlorination
Chlorine Residual (ppm)	4.0	4	0.78	0.14 - 1.68	2025	NO	Drinking Water Disinfectant added for treatment
Fluoride - added (ppm)	2.0 ppm	1	0.67	0.5 - 0.89	2025	NO	Water additive which promotes strong teeth

- For total coliform bacteria the highest percentage of positive samples collected in any month is reported as the average. The MCL is 5% of monthly samples are positive. Coliforms are bacteria that are naturally present in the environment and are used as indicators that other, potentially harmful, bacteria may be present.
- There are no PHGs, MCLGs or mandatory standard health effects language for constituents with secondary drinking water standards because secondary MCLs are set on the basis of aesthetics.
- Fluoride is added in order to help prevent dental cavities. The optimal fluoride level is 0.7 ppm.



Substance	MCL	PHG [MCLG]	Distance average	Distance range	Year of sampling	Violation	Typical source
<b>Lead and copper monitoring</b>							
			90th Percentile	#Sample/ # Exceeded AL			
Lead (p pb)	AL = 15	0.2	ND	52/0	2024	NO	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppb)	AL = 1300	300	64	52/0	2024	NO	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

**Number of Schools Requesting Lead Sampling: 26**

<b>Unregulated Contaminant Monitoring Rule (UCMR4) Results—Tests conducted in 2019 and 2020</b>							
Constituent	Human Health Advisory	PHG	Average	Range			Potential sources
Germanium	None	N/A	0.14	ND - 1.2			Naturally occurring metal
Manganese	Notification level 500 ug/L	300 ug/L	3.9	ND - 8.6			Naturally occurring metal
HAA6Br	None	N/A	0.62	ND - 1.5			Byproduct of drinking water chlorination
HAA9	None	N/A	18.3	13 - 23			Byproduct of drinking water chlorination

<b>Unregulated Contaminant Monitoring Rule (UCMR5) Results- Tests conducted in 2023 and 2024</b>							
Constituent	Human Health Advisory	PHG	Average	Range			Potential sources
Lithium	None	N/A	7.3	ND - 62.6			Naturally occurring metal that may concentrate in brine waters; lithium salts are used as pharmaceuticals, used in electrochemical cells, batteries, and in organic syntheses.

\*only detected constituents are reported



[roseville.ca.gov/eu](http://roseville.ca.gov/eu)